

SAFETY DATA SHEET

Product Trade Name:

EZ-MUD®

Revision Date: 13-Apr-2018

Revision Number: 41

1. Identification

1.1. Product Identifier

Product Trade Name: EZ-MUD®
Synonyms None
Chemical Family Blend
Internal ID Code HM003643

1.2 Recommended use and restrictions on use

Application Shale Inhibitor
Uses advised against No information available

1.3 Manufacturer's Name and Contact Details

Halliburton Energy Services, Inc.
645 - 7th Ave SW Suite 1800
Calgary, AB
T2P 4G8
Canada
Telephone: 1-403-231-9300

Manufacturer/Supplier

Baroid Fluid Services
Product Service Line of Halliburton Energy Services, Inc.
P.O. Box 1675
Houston, TX 77251
Telephone: (281) 871-4000

Prepared By

Chemical Stewardship
Telephone: 1-281-871-6107
e-mail: fdunexchem@halliburton.com

1.4. Emergency telephone number

Emergency Telephone Number 1-866-519-4752 or 1-760-476-3962
Global Incident Response Access Code: 334305
Contract Number: 14012

2. Hazard Identification

2.1 Classification of the substance or mixture

As adopted by the competent authority, this product does not require an SDS or hazard warning label.

Not classified

2.2. Label Elements

Hazard Pictograms

Signal Word: Not Classified

Hazard Statements Not Hazardous

Precautionary Statements

Prevention	None
Response	None
Storage	None
Disposal	None

2.3 Other hazards which do not result in classification

None known

3. Composition/information on Ingredients

Substances	CAS Number	PERCENT (w/w)	GHS Classification - Canada	HMIRA Registry Number	Filing Date	Decision Granted Date
Hydrotreated light petroleum distillate	64742-47-8	10 - 30%	Asp. Tox. 1 (H304)	Pending	Pending	Pending
Ethoxylated branched C13 alcohol	78330-21-9	1 - 5%	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Corr. 1 (H318) Aquatic Acute 2 (H401) Aquatic Chronic 3 (H412)	Pending	Pending	Pending

The exact percentage (concentration) of the composition has been withheld as proprietary.

4. First aid measures**4.1. Description of first aid measures**

Inhalation	If inhaled, move victim to fresh air and seek medical attention.
Eyes	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.
Skin	Wash with soap and water. Get medical attention if irritation persists. Remove contaminated shoes and discard.
Ingestion	Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical attention.

4.2 Most important symptoms/effects, acute and delayed

Causes mild skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. Fire-fighting measures**5.1. Extinguishing media****Suitable Extinguishing Media**

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

None known.

5.2 Specific hazards arising from the substance or mixture**Special exposure hazards in a fire**

Decomposition in fire may produce harmful gases. Use water spray to cool fire exposed surfaces.

5.3 Special protective equipment and precautions for fire-fighters**Special protective equipment for firefighters**

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing vapors. Ensure adequate ventilation.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Scoop up and remove.

7. Handling and Storage

7.1. Precautions for safe handling

Handling Precautions

Use appropriate protective equipment. Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Information

Store away from oxidizers. Keep container closed when not in use. Store locked up. Product has a shelf life of 12 months.

8. Exposure Controls/Personal Protection

8.1 Occupational Exposure Limits

Substances	CAS Number	OSHA PEL-TWA	ACGIH TLV-TWA
Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable
Ethoxylated branched C13 alcohol	78330-21-9	Not applicable	Not applicable

8.2 Appropriate engineering controls

Engineering Controls

A well ventilated area to control dust levels. Local exhaust ventilation should be used in areas without good cross ventilation.

8.3 Individual protection measures, such as personal protective equipment

Personal Protective Equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional.

Organic vapor respirator with a dust/mist filter. (A2P2/P3) In high concentrations, supplied air respirator or a self-contained breathing apparatus.

Hand Protection

Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes

permeation time as per EN 374): Nitrile gloves. (≥ 0.35 mm thickness)
 This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions for use should be observed because of great diversity of types.

Skin Protection
Eye Protection
Other Precautions

Rubber apron.
 Chemical goggles; also wear a face shield if splashing hazard exists.
 None known.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid	Color	White to gray
Odor: Mild hydrocarbon	Odor	No information available
	Threshold:	

<u>Property</u> <u>Remarks/ - Method</u>	<u>Values</u>
pH:	6-8
Freezing Point / Range	No data available
Melting Point / Range	No data available
Boiling Point / Range	175 °C / 347 °F
Flash Point	> 93 °C / > 200 °F PMCC
Flammability (solid, gas)	No data available
Upper flammability limit	No data available
Lower flammability limit	No data available
Evaporation rate	< 1
Vapor Pressure	0.002 mmHg
Vapor Density	No data available
Specific Gravity	1
Water Solubility	Partly soluble
Solubility in other solvents	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	> 200 °C / 392 °F
Decomposition Temperature	No data available
Viscosity	No data available
Explosive Properties	No information available
Oxidizing Properties	No information available

9.2. Other information

VOC Content (%)	No data available
------------------------	-------------------

10. Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

Will Not Occur

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong oxidizers.

10.6. Hazardous decomposition products

Ammonia. Oxides of nitrogen. Carbon monoxide and carbon dioxide.

11. Toxicological Information

11.1 Information on likely routes of exposure

Principle Route of Exposure Eye or skin contact, inhalation.

11.2 Symptoms related to the physical, chemical and toxicological characteristics

Acute Toxicity

Inhalation	May cause mild respiratory irritation.
Eye Contact	In vitro tests indicate that the product is not an eye irritant.
Skin Contact	Causes mild skin irritation.
Ingestion	May cause mild gastric distress.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 0.1% are chronic health hazards.

11.3 Toxicity data

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrotreated light petroleum distillate	64742-47-8	>5000 mg/kg-bw (rat) (similar substance)	>2000 mg/kg-bw (rabbit) (similar substance)	>5.2 mg/L (rat, 4 h, vapor) (similar substance)
Ethoxylated branched C13 alcohol	78330-21-9	1600 mg/kg-bw (rat) (similar substance)	>2000 mg/kg-bw (rabbit) (similar substance)	>0.22 mg/L (rat, 4h, aerosol, saturated) (similar substance)

Substances	CAS Number	Skin corrosion/irritation
Hydrotreated light petroleum distillate	64742-47-8	Non-irritating to the skin (similar substances)
Ethoxylated branched C13 alcohol	78330-21-9	Skin, rabbit: Causes moderate skin irritation. (similar substances)

Substances	CAS Number	Serious eye damage/irritation
Hydrotreated light petroleum distillate	64742-47-8	Non-irritating to rabbit's eye (similar substances)
Ethoxylated branched C13 alcohol	78330-21-9	Eye, rabbit: Causes severe eye irritation which may damage tissue. (similar substances)

Substances	CAS Number	Skin Sensitization
Hydrotreated light petroleum distillate	64742-47-8	Did not cause sensitization on laboratory animals (guinea pig) (similar substances)
Ethoxylated branched C13 alcohol	78330-21-9	Did not cause sensitization on laboratory animals (guinea pig) (similar substances)

Substances	CAS Number	Respiratory Sensitization
Hydrotreated light petroleum distillate	64742-47-8	Based on available data, the classification criteria are not met.
Ethoxylated branched C13 alcohol	78330-21-9	Based on available data, the classification criteria are not met.

Substances	CAS Number	Mutagenic Effects
Hydrotreated light petroleum distillate	64742-47-8	In vitro tests did not show mutagenic effects. In vivo tests did not show mutagenic effects. (similar substances)
Ethoxylated branched C13 alcohol	78330-21-9	In vitro tests did not show mutagenic effects. In vivo tests did not show mutagenic effects. (similar substances)

Substances	CAS Number	Carcinogenic Effects
Hydrotreated light petroleum distillate	64742-47-8	Did not show carcinogenic effects in animal experiments (similar substances)
Ethoxylated branched C13 alcohol	78330-21-9	Did not show carcinogenic effects in animal experiments (similar substances)

Substances	CAS Number	Reproductive toxicity
Hydrotreated light petroleum distillate	64742-47-8	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments. (similar substances)
Ethoxylated branched C13 alcohol	78330-21-9	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments. (similar substances)

Substances	CAS Number	STOT - single exposure
Hydrotreated light petroleum distillate	64742-47-8	No significant toxicity observed in animal studies at concentration requiring classification.
Ethoxylated branched C13 alcohol	78330-21-9	No significant toxicity observed in animal studies at concentration requiring classification. (similar substances)

Substances	CAS Number	STOT - repeated exposure
Hydrotreated light petroleum distillate	64742-47-8	No significant toxicity observed in animal studies at concentration requiring classification. (similar substances)
Ethoxylated branched C13 alcohol	78330-21-9	No significant toxicity observed in animal studies at concentration requiring classification. (similar substances)

Substances	CAS Number	Aspiration hazard
Hydrotreated light petroleum distillate	64742-47-8	Aspiration into the lungs may cause chemical pneumonitis including coughing, difficulty breathing, wheezing, coughing up blood and pneumonia, which can be fatal.
Ethoxylated branched C13 alcohol	78330-21-9	Based on available data, the classification criteria are not met.

12. Ecological Information

12.1. Toxicity

Product Ecotoxicity Data

No data available

Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Hydrotreated light petroleum distillate	64742-47-8	ErL50(72 h)>10000 mg/L (Skeletonema costatum)	LC50(96 h)>10000 mg/L (Scophthalmus maximus) NOELR(28 d)>1000 mg/L (fish)	No information available	LC50(48 h)>10000 mg/L (Acartia tonsa) NOELR(21 d)=1000 mg/L (Daphnia magna)
Ethoxylated branched C13 alcohol	78330-21-9	IC50(72 h)=1-10 mg/L (Desmodesmus subspicatus)	LC50(96 h)=1-10 mg/L (Cyprinus carpio)	No information available	EC50(48 h)=1-10 mg/L (Daphnia magna) NOAEC (21d) 0.77 mg/L (Daphnia magna)

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Hydrotreated light petroleum distillate	64742-47-8	Readily biodegradable (68.1% @ 28d)
Ethoxylated branched C13 alcohol	78330-21-9	Readily biodegradable (> 60% @ 28d)

12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Hydrotreated light petroleum distillate	64742-47-8	No information available
Ethoxylated branched C13 alcohol	78330-21-9	Not Bioaccumulative; BCF = 12.7 - 237 L/Kg

12.4. Mobility in soil

Substances	CAS Number	Mobility
Hydrotreated light petroleum distillate	64742-47-8	No information available
Ethoxylated branched C13 alcohol	78330-21-9	No information available

12.5 Other adverse effects

No information available

13. Disposal Considerations**13.1. Waste treatment methods****Disposal methods**

Disposal should be made in accordance with federal, state, and local regulations. Incineration recommended in approved incinerator according to federal, state, and local regulations.

Contaminated Packaging

Follow all applicable national or local regulations.

14. Transport Information**Canadian TDG**

UN Number Not restricted
 UN proper shipping name: Not restricted
 Transport Hazard Class(es): Not applicable
 Packing Group: Not applicable
 Environmental Hazards: Not applicable

US DOT

UN Number Not restricted
 UN proper shipping name: Not restricted
 Transport Hazard Class(es): Not applicable
 Packing Group: Not applicable
 Environmental Hazards: Not applicable

IMDG/IMO

UN Number Not restricted
 UN proper shipping name: Not restricted
 Transport Hazard Class(es): Not applicable
 Packing Group: Not applicable
 Environmental Hazards: Not applicable

IATA/ICAO

UN Number Not restricted
 UN proper shipping name: Not restricted
 Transport Hazard Class(es): Not applicable
 Packing Group: Not applicable
 Environmental Hazards: Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

Special Precautions for User None

15. Regulatory Information**Canadian Regulations**

Canadian Domestic Substances List (DSL) All components listed on inventory or are exempt.

US Regulations US TSCA Inventory

All components listed on inventory or are exempt.

TSCA Significant New Use Rules - S5A2

Substances	CAS Number	TSCA Significant New Use Rules - S5A2
Hydrotreated light petroleum distillate	64742-47-8	Not applicable
Ethoxylated branched C13 alcohol	78330-21-9	Not applicable

EPA SARA Title III Extremely Hazardous Substances

Substances	CAS Number	EPA SARA Title III Extremely Hazardous Substances
Hydrotreated light petroleum distillate	64742-47-8	Not applicable
Ethoxylated branched C13 alcohol	78330-21-9	Not applicable

EPA SARA (311,312) Hazard Class

None

EPA SARA (313) Chemicals

Substances	CAS Number	Toxic Release Inventory (TRI) - Group I	Toxic Release Inventory (TRI) - Group II
Hydrotreated light petroleum distillate	64742-47-8	Not applicable	Not applicable
Ethoxylated branched C13 alcohol	78330-21-9	Not applicable	Not applicable

EPA CERCLA/Superfund Reportable Spill Quantity

Substances	CAS Number	CERCLA RQ
Hydrotreated light petroleum distillate	64742-47-8	Not applicable
Ethoxylated branched C13 alcohol	78330-21-9	Not applicable

EPA RCRA Hazardous Waste Classification

If product becomes a waste, it does NOT meet the criteria of a hazardous waste as defined by the US EPA.

NFPA Ratings:

Health 2, Flammability 1, Reactivity 0

HMIS Ratings:

Health 2, Flammability 1, Physical Hazard 0, PPE: B

16. Other information

Preparation Information

Prepared By

Chemical Stewardship
Telephone: 1-281-871-6107
e-mail: fdunexchem@halliburton.com

Revision Date:

13-Apr-2018

Reason for Revision

SDS sections updated:
2

Additional information

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Stewardship at 1-580-251-4335.

Key or legend to abbreviations and acronyms used in the safety data sheet

bw – body weight

CAS – Chemical Abstracts Service

EC50 – Effective Concentration 50%

ErC50 – Effective Concentration growth rate 50%

LC50 – Lethal Concentration 50%

LD50 – Lethal Dose 50%

LL50 – Lethal Loading 50%

mg/kg – milligram/kilogram
mg/L – milligram/liter
NIOSH – National Institute for Occupational Safety and Health
NTP – National Toxicology Program
OEL – Occupational Exposure Limit
PEL – Permissible Exposure Limit
ppm – parts per million
STEL – Short Term Exposure Limit
TWA – Time-Weighted Average
UN – United Nations
h - hour
mg/m³ - milligram/cubic meter
mm - millimeter
mmHg - millimeter mercury
w/w - weight/weight
d - day

Key literature references and sources for data

www.ChemADVISOR.com/
NZ CCID

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet